

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7787	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L2	68	(xml html sgml markup) & metadata & (schema namespace) & (XML near3 DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L3	30	L2 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L4	5	L1 & L3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L5	4	L4 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L6	82	((heuer near3 jorg) (hutter near3 andreas) (peintner near3 daniel)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L7	0	L2 & L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L8	27	L6 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L9	16	L8 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L10	16	L8 & (data near3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L11	24	L2 & (data near3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L12	12	L11 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L13	7	L12 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) same cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L14	3696	L1 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) same cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L15	2850	L14 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L16	532	L15 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L17	152	L16 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L18	23	L17 & (DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L19	15	L18 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L20	13	L10 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L21	13	L10 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L22	1890	L1 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L23	1502	L22 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L24	331	L23 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L25	97	L24 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L26	16	L25 & (DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L27	37	L1 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L28	26	L27 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L29	11	L28 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L30	8	L29 & (tree hierach\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L31	7787	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L32	37	L31 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L33	26	L32 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L34	11	L33 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L35	8	L34 & (tree hierach\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L36	8	L34 & (tree hierarch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L37	7787	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L38	68	(xml html sgml markup) & metadata & (schema namespace) & (XML near3 DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L39	30	L38 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L40	5	L37 & L39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L41	4	L40 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L42	82	((heuer near3 jorg) (hutter near3 andreas) (peintner near3 daniel)).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L43	0	L38 & L42	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L44	27	L42 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L45	16	L44 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L46	16	L44 & (data near3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L47	24	L38 & (data near3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L48	12	L47 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L49	7	L48 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) same cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L50	3696	L37 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) same cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L51	2850	L50 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L52	532	L51 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L53	152	L52 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L54	23	L53 & (DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L55	15	L54 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L56	13	L46 & ((generat\$3 produc\$3 bullis\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L57	13	L46 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L58	1890	L37 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L59	1502	L58 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L60	331	L59 & (xml html sgml markup) & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L61	97	L60 & (data neat3 type) & (schema near3 type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L62	16	L61 & (DOM near3 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L63	37	L37 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L64	26	L63 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L65	11	L64 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L66	8	L65 & (tree hierach\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L67	7787	715/234-250.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L68	37	L67 & (MPEG-7)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L69	26	L68 & (@ad<"20040227" @rlad<"20040227")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L70	11	L69 & ((generat\$3 produc\$3 build\$3 design\$3 develop\$3) near3 cod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L71	8	L70 & (tree hierach\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L72	8	L70 & (tree hierarch\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L73	4	("20020138517" "20040068696").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L74	2	L73 & header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L75	0	L73 & (header same inherit \$3 same (schema namespace))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L76	0	L73 & header & inherit\$3 & (schema namespace)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L77	0	L73 & header & inherit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L78	2	L73 & header & (ancestor semantic topology parent relat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L79	1	L78 & (header same type same (schema namespace))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

L80	9	(US-20050044197-\$ or US-20030149934-\$ or US-20050097455-\$ or US-20030226109-\$ or US-20060212796-\$ or US-20040068696-\$ or US-20030172345-\$ or US-20020138517-\$).did. or (US-7114147-\$).did.	US-PGPUB; USPAT	OR	ON	2009/11/04 17:55
L81	2	L80 & inherit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L82	1	L80 & ((schema namespace same (another other))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L83	1	L80 & ((schema namespace (name adj space)) same (another other))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L84	8	L80 & (schema namespace (name adj space))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L85	5	L80 & (schema namespace (name adj space)) & assign \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55
L86	2	L80 & (schema namespace (name adj space)) & assign \$3 & inherit\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/04 17:55

11/ 4/ 2009 6:15:59 PM

C:\Documents and Settings\qtran3\My Documents\EAST\Workspaces\10590791.wsp